





|                                                                                          |                                                                                       |                                |          |                                      |                   |                 |         |
|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--------------------------------|----------|--------------------------------------|-------------------|-----------------|---------|
| <div>PROTECTOR<br/>GUARDRAIL<br/><small>DESIGNED TO PROTECT, BUILT TO LAST</small></div> |                                                                                       |                                | Date     | Name                                 | Amount            | 1               |         |
|                                                                                          |                                                                                       | Drawn                          | 1-1-2026 | O.Toor                               | Mass [g]          |                 |         |
|                                                                                          |                                                                                       | Checked                        |          |                                      | General tolerance | DIN ISO 2768-c  |         |
|                                                                                          |                                                                                       | Configuration name:<br>Default |          |                                      | Shape / Pos. tol. | NEN ISO 1101    |         |
|                                                                                          |                                                                                       |                                |          |                                      | Roughness         | NEN ISO 1302    |         |
| Scale: 1:10                                                                              | Projection                                                                            | Description:<br>Corner 90 °    |          | Drawing number:<br>25.218-005-900_05 |                   | Rev: 0          | Format: |
| Units: mm                                                                                |  |                                |          |                                      |                   | Sheet<br>1 of 4 | A3      |




| ITEM NO. | PART NUMBER     | DESCRIPTION                          | MATERIAL             | QTY. |
|----------|-----------------|--------------------------------------|----------------------|------|
| 1        | D228.RC.600     | bocht samenstelling 90 0.2           | 6060-T6              | 2    |
| 2        | D228.CS.F       | Fixed corner sleeve 90               | 6061-T6 (SS)         | 1    |
| 3        | D228.C42.2      | Insertion cap buis Ø42.2             | ABS                  | 1    |
| 4        | D228.C33.2      | Insertion cap buis Ø48 2             | ABS                  | 1    |
| 5        | D228.SDS.5.5x31 | Long self-drilling screw - SX 5.5x31 | Stainless Steel, 304 | 3    |

|  |                                |          |        |                   |                |
|--|--------------------------------|----------|--------|-------------------|----------------|
|  |                                | Date     | Name   | Amount            | 1              |
|  | Drawn                          | 1-1-2026 | O.Toor | Mass [g]          |                |
|  | Checked                        |          |        | General tolerance | DIN ISO 2768-c |
|  | Configuration name:<br>Default |          |        | Shape / Pos. tol. | NEN ISO 1101   |
|  |                                |          |        | Roughness         | NEN ISO 1302   |

|             |  |                             |                                      |                 |               |
|-------------|--|-----------------------------|--------------------------------------|-----------------|---------------|
| Scale: 1:10 |  | Description:<br>Corner 90 ° | Drawing number:<br>25.218-005-900_05 | Rev: 0          | Format:<br>A3 |
| Units: mm   |  |                             |                                      | Sheet<br>2 of 4 |               |





| ITEM NO. | PART NUMBER         | DESCRIPTION                          | QTY. |
|----------|---------------------|--------------------------------------|------|
| 1        | D228.RC.600         | bocht samenstelling 90 0.2           | 1    |
| 2        | D228.CS.F           | Fixed corner sleeve 90               | 2    |
| 3        | D228.C42.2          | Insertion cap buis Ø42.2             | 2    |
| 4        | D228.C33.2          | Insertion cap buis Ø48 2             | 2    |
| 5        | D228.SDS.5.5x31     | Long self-drilling screw - SX 5.5x31 | 12   |
| 6        |                     |                                      | 4    |
| 7        | D228.TUBE.42.3.4000 | bocht samenstelling 90 0.2           | 5    |
| 8        | D228.TUBE.42.3.4000 | bocht samenstelling 90 0.2           | 1    |
| 9        | D228.RC.600         | bocht samenstelling 90 0.2           | 1    |
| 10       | D228.VBB.580        | Opright box section T2               | 3    |
| 11       | D228.C50.30         | Insertion cap 50×30                  | 6    |

|                                                                                          |                                                                                       |                                   |          |                                      |                   |                 |                   |
|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-----------------------------------|----------|--------------------------------------|-------------------|-----------------|-------------------|
| <div>PROTECTOR<br/>GUARDRAIL<br/><small>Designed to protect, built to last</small></div> |                                                                                       |                                   | Date     | Name                                 | Amount            | 1               |                   |
|                                                                                          |                                                                                       | Drawn                             | 1-1-2026 | O.Toor                               | Mass [g]          |                 |                   |
|                                                                                          |                                                                                       | Checked                           |          |                                      | General tolerance | DIN ISO 2768-c  |                   |
|                                                                                          |                                                                                       | Configuration name:<br>L-base 70° |          |                                      | Shape / Pos. tol. | NEN ISO 1101    |                   |
|                                                                                          |                                                                                       |                                   |          |                                      | Roughness         | NEN ISO 1302    |                   |
| Scale: 1:50                                                                              | Projection                                                                            | Description:<br>Corner 90°        |          | Drawing number:<br>25.218-005-900_05 |                   | Rev: 0          | Format:<br><br>A3 |
| Units: mm                                                                                |  |                                   |          |                                      |                   | Sheet<br>4 of 4 |                   |