









ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	Schoprand 150x20x2 6000	Schoprand 150x20x2 4000	2
2	Schoprand beugel	Schoprand beugel	10
3	D228.S1	Long self-drilling screw - SX 5.5x31	24
4	25.218-010-900_05	bocht samenstelling 90 0.2	1
5	DIN 9021 - ISO 7093	Large washer 3xD M8	4
6	DIN933 M8x110	Hexagon Bolt M8x110	4
7	DIN6923	Flanged Hex Nut M8	4

PROTECTOR GUARDRAIL Designed to protect, built to last			Date	Name	Amount	1	
		Drawn	1-1-2026	O.Toor	Mass [g]		
		Checked			General tolerance	DIN ISO 2768-c	
		Configuration name: Schoprand L-base 90 degree			Shape / Pos. tol.	NEN ISO 1101	
					Roughness	NEN ISO 1302	
Scale: 1:50	Projection	Description: Schoprand L-base		Drawing number: 25.218-011-900_05		Rev: 0	Format: A3
Units: mm						Sheet 1 of 4	




ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	25.218-010-900_05	bocht samenstelling 90 0.2	1
2	Schoprand 150x20x2 6000	Schoprand 150x20x2 4000	2
3	Schoprand beugel	Schoprand beugel	10
4	D228.S1	Long self-drilling screw - SX 5.5x31	24
5	DIN 9021 - ISO 7093	Large washer 3xD M8	4
6	DIN933 M8x110	Hexagon Bolt M8x110	4
7	DIN6923	Flanged Hex Nut M8	4


PROTECTOR GUARDRAIL DESIGNED TO PROTECT, BUILT TO LAST			Date	Name	Amount	1	
		Drawn	1-1-2026	O.Toor	Mass [g]		
		Checked			General tolerance	DIN ISO 2768-c	
		Configuration name: Schoprand L-base 70 degree			Shape / Pos. tol.	NEN ISO 1101	
					Roughness	NEN ISO 1302	
Scale: 1:50	Projection	Description:		Drawing number:		Rev: 0	Format:
Units: mm		Schoprand L-base		25.218-011-900_05		Sheet 2 of 4	A3




DETAIL A
SCALE 1 : 5




DETAIL B
SCALE 1 : 10



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	Schoprand 150x20x2 6000	Schoprand 150x20x2 4000	2
2	Schoprand beugel	Schoprand beugel	10
3	D228.S1	Long self-drilling screw - SX 5.5x31	24
4	DIN 9021 - ISO 7093	Large washer 3xD M8	4
5	DIN933 M8x110	Hexagon Bolt M8x110	4
6	DIN6923	Flanged Hex Nut M8	4

PROTECTOR GUARDRAIL Designed to protect, built to last			Date	Name	Amount	1	
		Drawn	1-1-2026	O.Toor	Mass [g]		
		Checked			General tolerance	DIN ISO 2768-c	
		Configuration name: Schoprand L-base 90 degree exploded			Shape / Pos. tol.	NEN ISO 1101	
					Roughness	NEN ISO 1302	
Scale: 1:50	Projection	Description:		Drawing number:		Rev: 0	Format:
Units: mm		Schoprand L-base		25.218-011-900_05		Sheet 3 of 4	A3



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	Schoprand 150x20x2 6000	Schoprand 150x20x2 4000	2
2	Schoprand beugel	Schoprand beugel	10
3	D228.S1	Long self-drilling screw - SX 5.5x31	24
4	DIN 9021 - ISO 7093	Large washer 3xD M8	4
5	DIN933 M8x110	Hexagon Bolt M8x110	4
6	DIN6923	Flanged Hex Nut M8	4

PROTECTOR GUARDRAIL Designed to protect, built to last			Date	Name	Amount	1	
		Drawn	1-1-2026	O.Toor	Mass [g]		
		Checked			General tolerance	DIN ISO 2768-c	
		Configuration name: Schoprand L-base 70 degree exploded			Shape / Pos. tol.	NEN ISO 1101	
					Roughness	NEN ISO 1302	
Scale: 1:50	Projection	Description: Schoprand L-base		Drawing number: 25.218-011-900_05		Rev: 0	Format: A3
Units: mm						Sheet 4 of 4	